

**BLUE RIDGE LANDFILL  
COVER REPORT**

Month: Jan-15

Date	Map Grid Location	Number of Loads used for cover	Cubic Yards of Cover	ADC USED (Y or N)	Gate Tons Received	Bottom Waste Elevation	WEATHER CONDITIO N	RAINFALL AMOUNT
1			-	Y	-			
2	R-9		-	Y	529.63	845	Sunny 40	
3	R-9	43	1,075	Y	156.95	845	Raining 64	0.60
4			-	Y	-			
5	R-9		-	Y	550.15	845	Raining 35	1.50
6	R-9	3	75	Y	461.50	845	Cloudy 32	
7	R-8	13	325	Y	427.30	845	Sunny 27	
8	R-8	7	175	Y	392.05	845	Sunny 29	
9	R-8	22	550	Y	383.49	845	Sunny 33	
10			-	Y	-			
11			-	Y	-			
12	R-8	16	400	Y	517.50	845	Raining 45	0.25
13	S-8		-	Y	481.42	845	Raining 32	0.75
14	S-8	16	400	Y	406.56	845	Sunny 28	
15	S-8	10	250	Y	526.11	845	Sunny 34	
16	S-9	6	150	Y	481.07	845	Sunny, 44	
17			-	Y	-			
18			-	Y	-			
19	S-9	4	100	Y	427.15	845	Sunny 59	
20	R-9	16	400	Y	464.05	845	Sunny 60	
21	R-9	6	150	Y	458.90	845	Sunny 55	
22	R-10	9	225	Y	479.25	845	Sunny 40	
23	R-10	14	350	Y	484.91	845	Raining 37	0.40
24			-	Y	-			
25			-	Y	-			
26	R-10		-	Y	495.94	845	Raining 42	1.75
27	Q-10	12	300	Y	409.90	845	Cloudy 36	
28	Q-10	16	400	Y	324.79	845	Sunny 36	
29	Q-10	13	325	Y	350.16	845	Sunny 54	
30	Q-11		-	Y	394.41	845	Cloudy 34	
31			-	Y				
TOTALS			5,650		9,603.19			5.25

**RECEIVED**  
FEB 25 2016  
Division of Waste Management  
Solid Waste Branch

*Billy P. Bowler*  
2/25/16

## BLUE RIDGE LANDFILL COVER REPORT

Month: Feb-15

Date	Map Grid Location	Number of Loads used for cover	Cubic Yards of Cover	ADC USED (Y or N)	Gate Tons Received	Bottom Waste Elevation	WEATHER CONDITIO N	RAINFALL AMOUNT
1			-	Y	-			
2	Q-11	5	125	Y	622.44	845	Raining, 49	1.75
3	P-11	15	375	Y	507.77	845	Raining, 49	0.20
4	P-11	16	400	Y	490.94	845	Cloudy, 40	
5	P-11		-	Y	411.74	845	Sunny, 43	
6	P-11	6	150	Y	488.41	845	Sunny, 40	
7			-	Y	-			
8			-	Y	-			
9	O-11	17	425	Y	581.77	845	Sunny, 54	
10	O-11		-	Y	475.47	845	Cloudy, 29	
11	O-12	18	450	Y	382.11	845	Sunny, 39	
12	O-12	5	125	Y	566.87	845	Rain, 37	0.30
13	O-12		-	Y	474.28	845	Snow, 31	0.30
14			-	Y	-			
15			-	Y	-			
16			-	Y	-			
17			-	Y	-			
18			-	Y	-			
19			-	Y	-			
20	N-12		-	Y	304.77	845	Snow, 24	3.60
21			-	Y	-			
22			-	Y	-			
23	N-12	7	175	Y	403.38	845	Rain, 38	1.70
24	N-12	19	475	Y	697.56	845	Cloudy, 36	
25	N-12	9	225	Y	680.03	845	Sunny, 37	
26	N-13	12	300	Y	728.47	845	Sunny, 41	
27	N-13	16	400	Y	806.02	845	Cloudy, 27	
28			-	Y	-			
29			-	Y	-			
30			-	Y	-			
31			-	Y	-			
TOTALS			3,625		8,622.03			7.85

**BLUE RIDGE LANDFILL  
COVER REPORT**

Month: Mar-15

<u>Date</u>	<u>Map Grid Location</u>	<u>Number of Loads used for cover</u>	<u>Cubic Yards of Cover</u>	<u>ADC USED (Y or N)</u>	<u>Gate Tons Received</u>	<u>Bottom Waste Elevation</u>	<u>WEATHER CONDITIO N</u>	<u>RAINFALL AMOUNT</u>
1			-	Y	-			
2	N-13	14	350	Y	799.11	845	Rain, 43	0.25
3	N-13	7	175	Y	797.32	845	Rain, 62	0.25
4	M-13		-	Y	531.09	845	Rain, 57	2.50
5			-	Y	-			
6			-	Y	-			
7	M-13		-	Y	121.64	845	Snow	2.25
8			-	Y	-			
9	T-7	22	550	Y	724.15	860	Sunny, 65	
10	T-7		-	Y	767.70	860	Rain, 61	1.25
11	T-8	8	200	Y	493.63	860	Cloudy, 59	
12	T-8	6	150	Y	511.21	860	Sunny, 63	
13	T-8		-	Y	633.45	860	Rain, 45	0.50
14			-	Y	-			
15			-	Y	-			
16	T-9		-	Y	722.66	860	Sunny, 78	
17	T-9	29	725	Y	514.90	860	Sunny, 66	
18	T-9	13	325	Y	704.85	860	Sunny, 50	
19	T-9	18	450	Y	624.88	860	Rain, 44	0.30
20	S-9		-	Y	600.08	860	Rain, 47	0.10
21			-	Y	-			
22			-	Y	-			
23	S-9	13	325	Y	692.73	860	Sunny, 66	
24	S-9	8	200	Y	618.88	860	Sunny, 61	
25	T-10	14	350	Y	434.63	860	Sunny, 78	
26	T-10		-	Y	768.50	860	Rain, 70	0.60
27	T-10	7	175	Y	516.24	860	Cloudy, 46	
28			-	Y	-			
29			-	Y	-			
30	S-10		-	Y	657.44	860	Sunny, 58	
31	S-10	16	400	Y	493.13	860	Cloudy, 63	
TOTALS			4,375		12,728.22			8.00

## BLUE RIDGE LANDFILL COVER REPORT

Month: Apr-15

Date	Map Grid Location	Number of Loads used for cover	Cubic Yards of Cover	ADC USED (Y or N)	Gate Tons Received	Bottom Waste Elevation	WEATHER CONDITIO N	RAINFALL AMOUNT
1	S-10	8	200	Y	580.00	860	Sunny, 67	
2	S-10	13	325	Y	555.59	860	Rain, 75	0.20
3	S-10		-	Y	625.65	860	Rain, 67	6.50
4			-	Y	-			
5			-	Y	-			
6	S-11	5	125	Y	738.51	860	Sunny, 67	
7	S-11		-	Y	554.60	860	Rain, 67	1.20
8	S-8	2	50	Y	603.89	860	Sunny, 80	
9	S-8	13	325	Y	702.41	860	Sunny, 84	
10	S-8	14	350	Y	635.15	860	Rain, 71	0.75
11			-	Y	-			
12			-	Y	-			
13	S-9	9	225	Y	511.61	860	Rain, 81	0.30
14	S-9		-	Y	720.74	860	Rain, 63	4.20
15	S-9	16	400	Y	683.64	860	Sunny, 60	
16	S-9	15	375	Y	562.96	860	Rain, 68	0.50
17	S-9		-	Y	597.32	860	Sunny, 76	
18			-	Y	-			
19			-	Y	-			
20	R-9	6	150	Y	859.32	860	Rain, 71	0.30
21	R-9	16	400	Y	507.64	860	Cloudy, 63	
22	R-9	21	525	Y	582.10	860	Cloudy, 63	
23	R-9	32	800	Y	516.67	860	Sunny, 60	
24	R-9		-	Y	764.63	860	Sunny, 64	
25			-	Y	-			
26			-	Y	-			
27	R-10	19	475	Y	615.48	860	Sunny, 62	
28	R-10	22	550	Y	840.70	860	Sunny, 65	
29	R-10	11	275	Y	567.04	860	Sunny, 72	
30	R-10	11	275	Y	405.69	860	Sunny, 62	
31			-					
TOTALS			5,825		13,731.34			13.95

## BLUE RIDGE LANDFILL COVER REPORT

Month: May-15

Date	Map Grid Location	Number of Loads used for cover	Cubic Yards of Cover	ADC USED (Y or N)	Gate Tons Received	Bottom Waste Elevation	WEATHER CONDITION	RAINFALL AMOUNT
1	R-10	16	400	Y	762.92	860	Sunny, 65	
2			-	Y	-			
3			-	Y	-			
4	Q-10	11	275	Y	722.32	860	Sunny, 83	
5	Q-10	7	175	Y	692.01	860	Sunny, 84	
6	Q-10	20	500	Y	663.80	860	Sunny, 85	
7	Q-10	17	425	Y	606.55	860	Sunny, 85	
8	Q-10	19	475	Y	583.14	860	Sunny, 87	
9			-	Y	-			
10			-	Y	-			
11	Q-11	13	325	Y	583.76	860	Rain, 89	0.50
12	Q-11	22	550	Y	600.74	860	Sunny, 78	
13	Q-11		-	Y	563.23	860	Sunny, 71	
14	Q-11	12	300	Y	444.54	860	Sunny, 77	
15	Q-11	11	275	Y	502.45	860	Rain, 83	0.25
16			-	Y	-			
17			-	Y	-			
18	P-11	20	500	Y	711.99	860	Rain, 78	0.50
19	P-11	18	450	Y	353.28	860	Cloudy, 78	
20	P-11	12	300	Y	413.46	860	Sunny, 74	
21	P-11	16	400	Y	502.32	860	Rain, 61	0.20
22	P-11	16	400	Y	489.02	860	Sunny, 71	
23			-	Y	-			
24			-	Y	-			
25	P-12	11	275	Y	211.64	860	Sunny, 84	
26	P-12		-	Y	626.88	860	Rain, 85	0.30
27	P-12		-	Y	670.79	860	Sunny, 85	
28	P-12	15	375	Y	486.79	860	Sunny, 79	
29	P-12		-	Y	488.11	860	Rain, 84	0.20
30			-	Y				
31			-	Y				
TOTALS			6,400		11,679.74			1.95

**BLUE RIDGE LANDFILL  
COVER REPORT**

Month: Jun-15

Date	Map Grid Location	Number of Loads used for cover	Cubic Yards of Cover	ADC USED (Y or N)	Gate Tons Received	Bottom Waste Elevation	WEATHER CONDITIO N	RAINFALL AMOUNT
1	O-12	8	200	Y	541.72	860	Rain, 73	0.60
2	O-12	7	175	Y	590.42	860	Cloudy, 61	
3	O-12		-	Y	526.13	860	Sunny, 74	
4	O-12	18	450	Y	615.64	860	Rain, 82	0.20
5	O-12	14	350	Y	568.53	860	Sunny, 84	
6			-	Y	-			
7			-	Y	-			
8	O-13	24	600	Y	548.17	860	Rain, 80	1.20
9	O-13	17	425	Y	492.61	860	Sunny, 82	
10	N-13	15	375	Y	584.63	860	Sunny, 85	
11	N-13	16	400	Y	415.25	860	Sunny, 89	
12	N-13	15	375	Y	600.97	860	Sunny, 88	
13			-	Y	-			
14			-	Y	-			
15	N-13	1	25	Y	738.76	860	Sunny, 90	
16	N-13	8	200	Y	614.53	860	Rain, 88	0.40
17	N-12	13	325	Y	581.18	860	Rain, 87	0.90
18	N-12	7	175	Y	539.25	860	Rain, 88	0.70
19	N-12		-	Y	581.88	860	Cloudy, 82	
20			-	Y	-			
21			-	Y	-			
22	M-13		-	Y	588.28	860	Sunny,88	
23	M-13	12	300	Y	509.01	860	Sunny, 90	
24	M-13		-	Y	460.66	860	Sunny, 85	
25	M-13	6	150	Y	539.48	860	Rain, 87	0.90
26	M-14		-	Y	497.60	860	Rain, 85	1.50
27			-	Y	-			
28			-	Y	-			
29	M-14	10	250	Y	566.42	860	Rain, 80	0.90
30	L-13	3	75	Y	478.79	860	Rain, 80	0.50
31			-	Y				
TOTALS			4,850		12,179.91			7.80

## BLUE RIDGE LANDFILL COVER REPORT

Month: Jul-15

Date	Map Grid Location	Number of Loads used for cover	Cubic Yards of Cover	ADC USED (Y or N)	Gate Tons Received	Bottom Waste Elevation	WEATHER CONDITIO N	RAINFALL AMOUNT
1	L-13	3	75	Y	690.67	860	Cloudy, 79	
2	K-12		-	Y	491.75	860	Rain, 78	1.00
3	K-12		-	Y	387.23	860	Rain, 77	0.50
4			-	Y	-			
5			-	Y	-			
6	K-12	3	75	Y	604.81	860	Rain, 82	1.50
7	K-12		-	Y	820.26	860	Rain, 82	0.50
8	K-12		-	Y	490.31	860	Rain, 82	0.20
9	K-12	18	450	Y	591.18	860	Rain, 82	0.75
10	J-11		-	Y	450.90	860	Rain, 86	0.50
11			-	Y	-			
12			-	Y	-			
13	J-11	6	150	Y	610.77	860	Rain, 87	1.75
14	J-11	14	350	Y	515.47	860	Rain, 82	4.50
15	J-11	12	300	Y	473.36	860	Cloudy, 77	
16	J-11	13	325	Y	463.20	860	Sunny, 83	
17	J-11	8	200	Y	549.09	860	Sunny, 88	
18			-	Y	-			
19			-	Y	-			
20	J-12		-	Y	528.24	860	Rain, 90	0.75
21	J-12	3	75	Y	628.57	860	Sunny, 84	
22	J-12	18	450	Y	678.15	860	Sunny, 84	
23	J-12		-	Y	889.99	860	Sunny, 82	
24	J-12	31	775	Y	714.83	860	Sunny, 83	
25			-	Y	-			
26			-	Y	-			
27	J-12		-	Y	670.75	860	Rain, 85	0.25
28	K-13	5	125	Y	666.61	860	Sunny, 89	
29	K-13		-	Y	608.65	860	Sunny, 89	
30	K-13		-	Y	584.90	860	Sunny, 84	
31	K-13	10	250	Y	519.47	860	Sunny, 85	
TOTALS			3,600		13,629.16			12.20

**BLUE RIDGE LANDFILL  
COVER REPORT**

Month: Aug-15

Date	Map Grid Location	Number of Loads used for cover	Cubic Yards of Cover	ADC USED (Y or N)	Gate Tons Received	Bottom Waste Elevation	WEATHER CONDITIO N	RAINFALL AMOUNT
1			-	Y	-			
2			-	Y	-			
3	K-13	1	25	Y	638.94	860	Rain, 87	1.25
4	K-13	16	400	Y	633.45	860	Rain, 85	0.50
5	K-13	24	600	Y	439.63	860	Rain, 86	0.50
6	K-13		-	Y	485.05	860	Rain, 76	1.50
7	K-14		-	Y	604.98	860	Rain, 77	1.75
8			-	Y	-			
9			-	Y	-			
10	K-14		-	Y	548.85	860	Rain, 84	0.75
11	K-14	10	250	Y	745.65	860	Rain, 83	0.20
12	K-14	5	125	Y	544.28	860	Sunny, 81	
13	J-14	24	600	Y	581.46	860	Sunny, 80	
14	J-14	23	575	Y	670.97	860	Sunny, 84	
15			-	Y	-			
16			-	Y	-			
17	J-14	3	75	Y	635.77	860	Rain, 84	1.25
18	J-14	16	400	Y	412.51	860	Rain, 82	1.00
19	J-14		-	Y	416.07	860	Rain, 83	0.75
20	J-14	10	250	Y	442.89	860	Rain, 79	1.00
21	J-13	47	1,175	Y	637.83	860	Sunny, 78	
22			-	Y	-			
23			-	Y	-			
24	J-13	8	200	Y	613.09	860	Rain, 80	0.25
25	J-13	12	300	Y	493.87	860	Sunny, 76	
26	I-12	15	375	Y	531.33	860	Sunny, 76	
27	I-12	15	375	Y	709.70	860	Sunny, 76	
28	I-12		-	Y	514.33	860	Sunny, 83	
29			-	Y	-			
30			-	Y	-			
31	I-12	5	125	Y	606.82	860	Sunny, 81	
TOTALS			5,850		11,907.47			10.70

**BLUE RIDGE LANDFILL  
COVER REPORT**

Month: Sep-15

<u>Date</u>	<u>Map Grid Location</u>	<u>Number of Loads used for cover</u>	<u>Cubic Yards of Cover</u>	<u>ADC USED (Y or N)</u>	<u>Gate Tons Received</u>	<u>Bottom Waste Elevation</u>	<u>WEATHER CONDITIO N</u>	<u>RAINFALL AMOUNT</u>
1	I-12	8	200	Y	504.29	860	Sunny, 88	
2	I-12		-	Y	467.13	860	Sunny, 89	
3	I-12	12	300	Y	427.99	860	Sunny, 87	
4	I-12	11	275	Y	647.13	860	Sunny, 88	
5			-	Y	-			
6			-	Y	-			
7	I-12	22	550	Y	204.95	860	Sunny, 89	
8	I-13	5	125	Y	404.82	860	Sunny, 89	
9	I-13	9	225	Y	425.44	860	Rain, 86	0.25
10	I-13	5	125	Y	390.11	860	Rain, 76	1.50
11	I-13		-	Y	465.36	860	Rain, 80	0.40
12			-	Y	-			
13			-	Y	-			
14	I-13		-	Y	564.99	860	Sunny, 73	
15	I-13	23	575	Y	362.48	860	Sunny, 79	
16	I-13	27	675	Y	512.61	860	Sunny, 82	
17	I-14	31	775	Y	510.97	860	Sunny, 81	
18	I-14	31	775	Y	534.30	860	Sunny, 84	
19			-	Y	-			
20			-	Y	-			
21	I-14	18	450	Y	572.25	860	Rain, 74	0.25
22	I-14	21	525	Y	508.62	860	Sunny, 79	
23	I-14	9	225	Y	436.22	860	Sunny, 82	
24	I-14	29	725	Y	390.56	860	Sunny, 81	
25	I-14	10	250	Y	351.70	860	Rain, 67	0.80
26			-	Y	-			
27			-	Y	-			
28	I-15	32	800	Y	471.12	860	Rain, 79	1.75
29	I-15	9	225	Y	488.96	860	Rain, 80	0.25
30	I-15	22	550	Y	478.66	860	Rain, 81	2.25
31			-	Y				
TOTALS			8,350		10,120.66			7.45

**BLUE RIDGE LANDFILL  
COVER REPORT**

Month: Oct-15

Date	Map Grid Location	Number of Loads used for cover	Cubic Yards of Cover	ADC USED (Y or N)	Gate Tons Received	Bottom Waste Elevation	WEATHER CONDITIO N	RAINFALL AMOUNT
1	I-15	8	200	Y	478.24	860	Rain, 59	1.50
2	I-15		-	Y	567.82	860	Rain, 55	0.25
3			-		-			
4			-		-			
5	I-15	46	1,150	Y	562.54	860	Rain, 77	1.75
6	J-15	42	1,050	Y	487.27	860	Sunny, 79	
7	J-15	21	525	Y	446.51	860	Sunny, 80	
8	J-15	23	575	Y	500.91	860	Sunny, 82	
9	J-15	12	300	Y	526.95	860	Sunny, 79	
10			-		-			
11			-		-			
12	J-15	12	300	Y	567.87	860	Rain, 75	0.50
13	J-15	36	900	Y	442.22	860	Rain, 70	0.75
14	J-16	9	225	Y	504.22	860	Sunny, 70	
15	J-16	11	275	Y	502.93	860	Sunny, 70	
16	J-16	13	325	Y	524.82	860	Sunny, 70	
17			-		-			
18			-		-			
19	J-16	33	825	Y	549.13	860	Sunny, 65	
20	K-16	36	900	Y	519.21	860	Sunny, 71	
21	K-16	18	450	Y	493.97	860	Sunny, 74	
22	K-16	19	475	Y	552.43	860	Sunny, 78	
23	K-16	25	625	Y	528.24	860	Sunny, 78	
24			-		-			
25			-		-			
26	K-15	20	500	Y	558.28	860	Rain, 60	0.50
27	K-15	9	225	Y	464.39	860	Rain, 58	0.75
28	K-15	18	450	Y	361.25	860	Rain, 72	0.75
29	J-14	24	600	Y	540.70	860	Rain, 66	0.75
30	J-14	10	250	Y	372.06	860	Sunny, 66	
31			-		-			
TOTALS			11,125		11,051.96			7.50

## BLUE RIDGE LANDFILL COVER REPORT

Month: Nov-15

<u>Date</u>	<u>Map Grid Location</u>	<u>Number of Loads used for cover</u>	<u>Cubic Yards of Cover</u>	<u>ADC USED (Y or N)</u>	<u>Gate Tons Received</u>	<u>Bottom Waste Elevation</u>	<u>WEATHER CONDITIO N</u>	<u>RAINFALL AMOUNT</u>
1			-	Y	-			
2	J-14	6	150	Y	669.99	860	Sunny, 68	
3	K-14	30	750	Y	579.82	860	Sunny, 80	
4	K-14	8	200	Y	416.73	860	Sunny, 80	
5	K-14	35	875	Y	470.68	860	Sunny, 79	
6	L-13	3	75	Y	505.09	860	Sunny, 69	
7			-	Y	-			
8			-	Y	-			
9	L-13	22	550	Y	642.30	860	Sunny, 57	
10	L-13	24	600	Y	510.91	860	Sunny, 57	
11	L-14	16	400	Y	323.84	860	Sunny, 60	
12	L-14	22	550	Y	533.58	860	Sunny, 69	
13	L-14	11	275	Y	491.53	860	Sunny, 56	
14			-	Y	-			
15			-	Y	-			
16	L-15	27	675	Y	536.58	860	Sunny, 60	
17	L-15	22	550	Y	508.91	860	Sunny, 62	
18	M-14	5	125	Y	463.90	860	Rain, 70	0.40
19	M-14	7	175	Y	506.79	860	Rain, 66	1.00
20	M-14	15	375	Y	355.48	860	Sunny, 52	
21			-	Y	-			
22			-	Y	-			
23	M-14	23	575	Y	529.73	860	Sunny, 48	
24	M-14	15	375	Y	445.73	860	Sunny, 58	
25	M-14		-	Y	354.63	860	Sunny, 64	
26			-	Y	-			
27	M-13	10	250	Y	567.19	860	Sunny, 70	
28	M-13	4	100	Y	70.82	860	Sunny, 64	
29			-	Y	-			
30	M-13	21	525	Y	649.09	860	Rain, 56	2.50
31			-	Y	-			
TOTALS			8,150		10,133.32			3.90

## BLUE RIDGE LANDFILL COVER REPORT

Month: Dec-15

Date	Map Grid Location	Number of Loads used for cover	Cubic Yards of Cover	ADC USED (Y or N)	Gate Tons Received	Bottom Waste Elevation	WEATHER CONDITION	RAINFALL AMOUNT
1	M-13		-	Y	518.93	860	Rain, 62	2.50
2	M-12	8	200	Y	393.03	860	Rain, 51	1.00
3	M-12	2	50	Y	531.25	860	Cloudy, 44	
4	M-12		-	Y	599.71	860	Sunny, 49	
5			-	Y	-			
6			-	Y	-			
7	N-13	3	75	Y	509.87	860	Rain, 47	0.25
8	N-13	20	500	Y	527.47	860	Sunny, 58	
9	N-13	30	750	Y	461.00	860	Sunny, 57	
10	N-13	20	500	Y	306.98	860	Sunny, 63	
11	N-13		-	Y	299.59	860	Sunny, 66	
12			-	Y	-			
13			-	Y	-			
14	N-13	36	900	Y	392.75	860	Sunny, 67	
15	N-13	26	650	Y	311.54	860	Rain, 60	0.25
16	O-13	28	700	Y	398.05	860	Sunny, 70	
17	O-13	2	50	Y	403.50	860	Rain, 60	0.75
18	O-13		-	Y	450.79	860	Sunny, 33	
19			-	Y	-			
20			-	Y	-			
21	O-13	2	50	Y	463.17	860	Rain, 58	0.40
22	O-13		-	Y	354.41	860	Rain, 62	2.00
23	O-13		-	Y	454.85	860	Rain, 67	0.50
24	O-13		-	Y	306.07	860	Rain, 72	1.75
25			-	Y	-			
26	O-13		-	Y	190.55	860	Rain, 68	2.25
27			-	Y	-			
28	O-12	7	175	Y	582.66	860	Rain, 66	1.00
29	O-12	10	250	Y	675.20	860	Rain, 66	0.75
30	O-12		-	Y	536.35	860	Sunny, 56	
31	O-12	19	475	Y	470.96	860	Sunny, 44	
TOTALS			5,325		10,138.68			13.40